## NSN 9515-00-684-6069

Metal Sheet - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9515-00-684-6069

Fabrication Method:
Cold rolled
Width:
36.000 inches
Length:
10.000 feet
Cross-sectional Thickness:
0.0900 inches
Basic Shape Style:
Solid
Min. Tensile Strength (psi):
100000 pounds per square inch
Heat Treatment:
Annealed
Material:
Steel, ams 5510
Material:
Steel comp 321
Material Specification:
Material Specification: Ams 5510 assn standard 1st material response
·
Ams 5510 assn standard 1st material response
Ams 5510 assn standard 1st material response  Surface Condition:
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment  Shelf Life:
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment  Shelf Life:  N/a
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment  Shelf Life:  N/a
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment  Shelf Life:  N/a  Unit Of Measure:
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No
Ams 5510 assn standard 1st material response  Surface Condition:  Descaled  Specification Or Standard:  2d finish  Departure From Cited Document:  As modified by heat treatment  Shelf Life:  N/a  Unit Of Measure:   Demilitarization:  No  Fiig: