

View Online at <https://aerobasegroup.com/nsn/9515-01-467-9609>

**Fabrication Method:**

Any acceptable

**Width:**

Between 1.320 inches and 1.440 inches

**Length:**

Between 1.440 inches and 1.560 inches

**Cross-sectional Thickness:**

0.2500 inches

**End Application:**

2350-01-368-9528

**Basic Shape Style:**

Solid

**Coating Weight:**

0.050 ounces per square foot

**Special Features:**

2 adjacent corners are cut to make angled edges 0.25 in. Long with two corners of a 45 degree angle; between the cut corners, there is 1 hole of 0.320 in. Diameter; in the other 2 corners, there are identical holes 0.750 in. Apart. 1 side of the hole starts at a diameter of 0.691-0.651 in., and tapers in at a 81 degree angle until a through hole of diameter 0.400-0.343 in. Is formed; plating is zinc ty2, sc2, 0.3 mils thick or zinc-nickel ty2 cl2 per dwg 12369857; carbon steel plate is 0.250 in. Thick; mat'l is steel, carbon, astm a575 m1010-m1025 (astm a576 and a108 are also optional mat'l subs); add'l optional mat'l is steel. Carbon. Asatm a36

**Material:**

Steel, astm a575, grade m1010

**Material:**

Steel, astm a575, grade m1010

**Surface Treatment:**

Zinc

**Surface Treatment:**

Zinc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A13100