NSN 9520-00-277-4448

Structural Beam - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9520-00-277-4448

| Fabrication | | | |
|--------------|--------------------------|--|--|
| Any accepta | | | |
| Overall Hei | | | |
| 10.000 inche | 2S | | |
| Length: | | | |
| | 000 feet and 40.000 feet | | |
| Basic Shap | e Style: | | |
| I shape | | | |
| Top Flange | Width: | | |
| 2.750 inches | \$ | | |
| Bottom Fla | nge Width: | | |
| 2.750 inches | 3 | | |
| Weight Per | Unit Measure: | | |
| | ls per linear foot | | |
| Heat Treatn | ient: | | |
| As fabricate | t | | |
| Material: | | | |
| Steel, abs r | ules, grade a | | |
| Material: | | | |
| Steel, abs r | ules, grade a | | |
| Specificatio | on Or Standard: | | |
| Grade a | | | |
| Shelf Life: | | | |
| N/a | | | |
| Unit Of Mea | sure: | | |
| | | | |
| Demilitariza | ition: | | |
| No | | | |
| Fiig: | | | |
| A13100 | | | |
| Mil-std (mil | tary Standard): | | |
| Mil-s-22698 | spec. | | |