

View Online at <https://aerobasegroup.com/nsn/9520-00-596-1889>

**Fabrication Method:**

Any acceptable

**Overall Height:**

8.000 inches

**Length:**

Between 16.000 feet and 21.000 feet

**Left Side Top Flange Thickness:**

0.425 inches

**Right Side Top Flange Thickness:**

0.425 inches

**Basic Shape Style:**

I shape

**Right Side Bottom Flange Thickness:**

0.425 inches

**Left Side Bottom Flange Thickness:**

0.425 inches

**Left Side Top Flange Distance To Center Of Both Flanges:**

2.000 inches

**Left Side Bottom Flange Distance To Center Of Both Flanges:**

2.000 inches

**Right Side Top Flange Distance To Center Of Both Flanges:**

2.000 inches

**Right Side Bottom Flange Distance To Center Of Both Flanges:**

2.000 inches

**Fillet Radius Where Top Left Flange Joins Web Flange/leg:**

Any acceptable

**Fillet Radius Where Bottom Left Flange Joins Web Flange/leg:**

Any acceptable

**Fillet Radius Where Top Right Flange Joins Web Flange/leg:**

Any acceptable

**Fillet Radius Where Bottom Right Flange Joins Web Flange/leg:**

Any acceptable

**Web Flange Thickness:**

0.271 inches

**Top Flange Width:**

4.000 inches

**Bottom Flange Width:**

4.000 inches

**Weight Per Unit Measure:**

18.400 pounds per linear foot

**First Tip Style:**

Square end

**Second Tip Relationship To First Tip:**

Identical

**Third Tip Relationship To Preceding Tips:**

Identical w/first tip

**Fourth Tip Relationship To Preceding Tips:**

Identical w/first tip

**Right Top Inside Angle:**

90.0 degrees

**Left Top Inside Angle:**

90.0 degrees

**Left Bottom Inside Angle:**

90.0 degrees

**Right Bottom Inside Angle:**

90.0 degrees

**Heat Treatment:**

As fabricated

**Material:**

Steel, astm a36

**Material:**

Steel uns k02600

**Material Specification:**

Astm a36 assn standard 1st material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A13100