

View Online at <https://aerobasegroup.com/nsn/9535-00-277-7423>

Fabrication Method:

Cold rolled

Width:

36.000 inches

Length:

8.000 feet

Distance From First Hole Centerline To End Along Length:

Any acceptable

Distance From First Hole Centerline To End Along Width:

Any acceptable

Cross-sectional Thickness:

0.0620 inches

End Application:

Various

Basic Shape Style:

Round

Perforation Diameter:

0.062 inches

Edge Type:

Any acceptable

Perforation Center To Center Distance Along Upward Slope:

0.125 inches

Perforation Center To Center Distance Along Downward Slope:

0.125 inches

Weight Per Unit Measure:

2.220 pounds per square foot

Min. Tensile Strength (psi):

70000 pounds per square inch

Minimum Yield Strength:

28000 pounds per square inch

Hole Quantity:

8 per square inch

Special Features:

0.125 in. Perforation center to center distance along vertical axis

Heat Treatment:

Annealed

Material:

Nickel, qq-n-281, class a

Material:

Nickel alloy 400

Material Specification:

Qq-n-281, class a federal specification 1st material response

Specification Or Standard:

Condition annealed and staggered centers and type 6

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A13100

Mil-std (military Standard):

Mil-s-12875 spec.