

View Online at <https://aerobasegroup.com/nsn/9540-00-152-2966>

Fabrication Method:

Extruded

Overall Width:

0.840 inches

Length:

6.000 feet

Left Side Flange Height:

0.260 inches

Right Side Flange Height:

0.260 inches

Left Side Flange Thickness:

0.050 inches

Right Side Flange Thickness:

0.050 inches

Left Side Top Flange Thickness:

0.050 inches

Right Side Top Flange Thickness:

0.050 inches

Left Side Top Flange Width:

0.190 inches

Right Side Top Flange Width:

0.190 inches

Outer Radius Where Left Flange Joins Top Flange:

0.031 inches

Fillet Radius Where Left Flange Joins Top Flange:

0.020 inches

Outer Radius Where Right Flange Joins Top Flange:

0.031 inches

Fillet Radius Where Right Flange Joins Top Flange:

0.020 inches

Basic Shape Style:

Channel

Fillet Radius Where Left Flange Joins Base Flange:

0.020 inches

Outer Radius Where Left Flange Joins Base Flange:

0.031 inches

Base Flange Thickness:

0.050 inches

Outer Radius Where Right Flange Joins Base Flange:

0.031 inches

Fillet Radius Where Right Flange Joins Base Flange:

0.020 inches

First Tip Radius:

0.025 inches

Weight Per Unit Measure:

0.091 pounds per linear foot

First Tip Style:

Full radius

Second Tip Relationship To First Tip:

Identical

Left Inside Angle:

90.0 degrees

Right Inside Angle:

90.0 degrees

Extra Long Reference Number:

Ams-qq-a-200/3 alloy 2024 tmpr t3511

Heat Treatment:

T-3511 solution heat treated

Material:

Aluminum alloy ams-qq-a-200/3, alloy 2024

Material:

Aluminum alloy ams-qq-a-200/3, alloy 2024

Specification Or Standard:

2024 alloy and t3511 temper

Reference Number Differentiating Characteristics:

As differentiated by extra long reference number

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A13100