

View Online at <https://aerobasegroup.com/nsn/9540-00-179-9593>

Fabrication Method:

Extruded

Overall Height:

2.060 inches

Length:

11.250 feet

Left Side Top Flange Thickness:

0.200 inches

Right Side Top Flange Thickness:

0.200 inches

Leg Thickness:

0.150 inches

Left Side Top Flange Distance To Center Of Both Flanges:

1.325 inches

Right Side Top Flange Distance To Center Of Both Flanges:

1.175 inches

Fillet Radius Where Top Left Flange Joins Web Flange/leg:

0.120 inches

Fillet Radius Where Top Right Flange Joins Web Flange/leg:

0.120 inches

Top Flange Width:

2.500 inches

Weight Per Unit Measure:

1.160 pounds per linear foot

First Tip Style:

Square w/ inner and outer corner radii

First Tip Inner Radius:

0.032 inches

First Tip Outer Radius:

0.032 inches

Second Tip Relationship To First Tip:

Identical

Right Top Inside Angle:

90.0 degrees

Left Top Inside Angle:

90.0 degrees

Special Features:

Flange at bottom of tee 0.750 in. Long, 0.300 in. Thick, at a 90 degree angle with a 0.120 in. Radius

Heat Treatment:

T-6 solution heat treated or t-6511 solution heat treated

Material:

Aluminum alloy, ams-qq-a-200/11, alloy 7075

Material:

Aluminum alloy, ams-qq-a-200/11, alloy 7075

Specification Or Standard:

7075 alloy and t6 temper or t6511 temper

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A13100