

View Online at <https://aerobasegroup.com/nsn/9540-00-251-1776>

Fabrication Method:

Extruded

Overall Height:

1.000 inches

Length:

Between 10.000 feet and 12.000 feet

Left Side Top Flange Thickness:

0.094 inches

Right Side Top Flange Thickness:

0.094 inches

Basic Shape Style:

T shape

First Tip Radius:

0.062 inches

Leg Thickness:

0.078 inches

Left Side Top Flange Distance To Center Of Both Flanges:

0.625 inches

Right Side Top Flange Distance To Center Of Both Flanges:

0.625 inches

Fillet Radius Where Top Left Flange Joins Web Flange/leg:

0.062 inches

Fillet Radius Where Top Right Flange Joins Web Flange/leg:

0.062 inches

Top Flange Width:

1.250 inches

Left Side Top Flange Tip Thickness:

0.077 inches

Right Side Top Flange Tip Thickness:

0.077 inches

Weight Per Unit Measure:

0.256 pounds per linear foot

First Tip Style:

Lower radius

Third Tip Radius:

0.125 inches

Third Tip Diameter:

0.250 inches

Second Tip Relationship To First Tip:

Identical

Third Tip Relationship To Preceding Tips:

Not identical

Third Tip Style:

Left bulbous

Left Top Inner Face To Outer Face Angle:

90.0 degrees

Right Top Inner Face To Outer Face Angle:

90.0 degrees

Heat Treatment:

T-4 solution heat treated and natural aged

Material:

Aluminum alloy, qq-a-200/3

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-200/3 federal specification 1st material response

Specification Or Standard:

4 temper

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A13100