

View Online at <https://aerobasegroup.com/nsn/9540-00-595-8597>

**Fabrication Method:**

Extruded

**Overall Height:**

1.875 inches

**Length:**

Between 10.000 feet and 12.000 feet

**Left Side Top Flange Thickness:**

0.064 inches

**Basic Shape Style:**

Z shape

**Right Side Bottom Flange Thickness:**

0.064 inches

**Fillet Radius Where Top Left Flange Joins Web Flange/leg:**

0.125 inches

**Fillet Radius Where Bottom Right Flange Joins Web Flange/leg:**

0.125 inches

**Web Flange Thickness:**

0.064 inches

**Top Flange Width:**

0.750 inches

**Bottom Flange Width:**

0.938 inches

**Outer Radius Where Top Left Flange Joins Web Flange:**

0.125 inches

**Weight Per Unit Measure:**

0.310 pounds per linear foot

**First Tip Style:**

Flange left downward w/ square end and inner and outer corner radii

**First Tip Inner Corner Radius:**

0.125 inches

**Second Tip Inner Corner Radius:**

0.125 inches

**First Tip Outer Corner Radius:**

0.125 inches

**First Tip Thickness:**

0.064 inches

**Second Tip Thickness:**

0.064 inches

**First Tip Flange Height:**

0.250 inches

**Second Tip Flange Height:**

0.189 inches

**Second Tip Relationship To First Tip:**

Not identical

**Second Tip Style:**

Flange right upward with square end, inner corner radius, and square outer corner

**Left Top Inside Angle:**

90.0 degrees

**Right Bottom Inside Angle:**

90.0 degrees

**Heat Treatment:**

T-6 solution heat treated

**Material:**

Aluminum alloy, qq-a-200/11

**Material:**

Aluminum alloy 7075

**Material Specification:**

Qq-a-200/11 federal specification 1st material response

**Specification Or Standard:**

T6 temper

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A13100