

View Online at <https://aerobasegroup.com/nsn/9540-00-596-1088>

Fabrication Method:

Extruded

Overall Width:

0.750 inches

Length:

Between 10.000 feet and 12.000 feet

Left Side Flange Height:

1.750 inches

Right Side Flange Height:

1.750 inches

Left Side Flange Thickness:

0.125 inches

Right Side Flange Thickness:

0.125 inches

Basic Shape Style:

H shape

First Tip Radius:

0.031 inches

Left Side Top Flange Distance To Center Of Both Flanges:

0.875 inches

Left Side Bottom Flange Distance To Center Of Both Flanges:

0.875 inches

Right Side Top Flange Distance To Center Of Both Flanges:

0.875 inches

Right Side Bottom Flange Distance To Center Of Both Flanges:

0.875 inches

Fillet Radius Where Top Left Flange Joins Web Flange/leg:

0.031 inches

Fillet Radius Where Bottom Left Flange Joins Web Flange/leg:

0.031 inches

Fillet Radius Where Top Right Flange Joins Web Flange/leg:

0.031 inches

Fillet Radius Where Bottom Right Flange Joins Web Flange/leg:

0.031 inches

Web Flange Thickness:

0.125 inches

Weight Per Unit Measure:

0.600 pounds per linear foot

First Tip Style:

Left quarter radius

Second Tip Radius:

0.031 inches

Second Tip Relationship To First Tip:

Not identical

Second Tip Style:

Right quarter radius

Third Tip Relationship To Preceding Tips:

Identical w/first tip

Fourth Tip Relationship To Preceding Tips:

Identical w/second tip

Right Top Inside Angle:

90.0 degrees

Left Top Inside Angle:

90.0 degrees

Left Bottom Inside Angle:

90.0 degrees

Right Bottom Inside Angle:

90.0 degrees

Heat Treatment:

T-3511 solution heat treated

Material:

Aluminum alloy ams-qq-a-200/3, alloy 2024

Material:

Aluminum alloy ams-qq-a-200/3, alloy 2024

Specification Or Standard:

T3511 temper

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A13100