

View Online at <https://aerobasegroup.com/nsn/9540-01-103-0039>

Fabrication Method:

Extruded

Overall Height:

Between 1.484 inches and 1.516 inches

Length:

Between 10.000 feet and 12.000 feet

Left Side Top Flange Thickness:

Between 0.181 inches and 0.195 inches

Right Side Top Flange Thickness:

Between 0.181 inches and 0.195 inches

Basic Shape Style:

T shape

Leg Thickness:

Between 0.133 inches and 0.147 inches

Left Side Top Flange Distance To Center Of Both Flanges:

0.975 inches

Right Side Top Flange Distance To Center Of Both Flanges:

0.975 inches

Fillet Radius Where Top Left Flange Joins Web Flange/leg:

Between 0.100 inches and 0.116 inches

Fillet Radius Where Top Right Flange Joins Web Flange/leg:

Between 0.100 inches and 0.116 inches

Top Flange Width:

Between 1.934 inches and 1.966 inches

Weight Per Unit Measure:

0.671 pounds per linear foot

First Tip Style:

Square end

Second Tip Relationship To First Tip:

Identical

Third Tip Relationship To Preceding Tips:

Identical w/first tip

Right Top Inside Angle:

90.0 degrees

Left Top Inside Angle:

90.0 degrees

Heat Treatment:

O-annealed

Material:

Aluminum alloy ams-qq-a-200/11, alloy 7075

Material:

Aluminum alloy ams-qq-a-200/11, alloy 7075

Specification Or Standard:

0 temper

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A13100