

View Online at <https://aerobasegroup.com/nsn/9540-01-163-2652>

Fabrication Method:

Extruded

Overall Width:

3.350 inches

Length:

Between 10.000 feet and 12.000 feet

Left Side Flange Height:

2.250 inches

Right Side Flange Height:

2.500 inches

Left Side Flange Thickness:

0.100 inches

Right Side Flange Thickness:

0.200 inches

Distance Between Flanges:

1.090 inches

Basic Shape Style:

Channel

Fillet Radius Where Left Flange Joins Base Flange:

0.125 inches

Outer Radius Where Left Flange Joins Base Flange:

0.125 inches

Base Flange Thickness:

0.100 inches

Outer Radius Where Right Flange Joins Base Flange:

0.125 inches

Fillet Radius Where Right Flange Joins Base Flange:

0.125 inches

Right Side Bottom Flange Thickness:

0.100 inches

Left Side Bottom Flange Thickness:

0.100 inches

Right Side Distance To Center Of Both Flanges:

1.795 inches

Left Side Distance To Center Of Both Flanges:

1.555 inches

Weight Per Unit Measure:

1.160 pounds per linear foot

First Tip Style:

Square end

Second Tip Relationship To First Tip:

Identical

Third Tip Relationship To Preceding Tips:

Identical w/first tip

Fourth Tip Relationship To Preceding Tips:

Identical w/first tip

Left Inside Angle:

90.0 degrees

Right Inside Angle:

90.0 degrees

Special Features:

0.060 in. Taper on right flange, 1.300 in. Distance from end opposite bottom flange including 0.125 in. Radius

Heat Treatment:

T-76511 solution heat treated

Material:

Aluminum alloy ams-qq-a-200/15, alloy 7075

Material:

Aluminum alloy ams-qq-a-200/15, alloy 7075

Specification Or Standard:

T76511 temper

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A13100