## NSN 9540-01-218-7208

Structural Beam - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/9540-01-218-7208

**Fabrication Method:** 

Extruded

**Overall Height:** 

Between 1.068 inches and 1.112 inches

Length:

12.000 feet

Left Side Top Flange Thickness:

Between 0.044 inches and 0.056 inches

**Basic Shape Style:** 

Z shape

**Right Side Bottom Flange Thickness:** 

Between 0.044 inches and 0.056 inches

Fillet Radius Where Top Left Flange Joins Web Flange/leg:

Between 0.084 inches and 0.116 inches

Fillet Radius Where Bottom Right Flange Joins Web Flange/leg:

Between 0.084 inches and 0.116 inches

Web Flange Thickness:

Between 0.044 inches and 0.056 inches

**Top Flange Width:** 

Between 0.491 inches and 0.509 inches

**Bottom Flange Width:** 

Between 0.790 inches and 0.810 inches

Weight Per Unit Measure:

0.140 pounds per linear foot

First Tip Style:

Square end

**Second Tip Relationship To First Tip:** 

Identical

**Left Top Inside Angle:** 

90.0 degrees

**Right Bottom Inside Angle:** 

90.0 degrees

**Heat Treatment:** 

T-6 solution heat treated

Material:

Aluminum alloy ams-qq-a-200/11, alloy 7075

Material:

Aluminum alloy ams-qq-a-200/11, alloy 7075

**Specification Data:** 

98897-Is30532 manufacturers standard

**Specification Or Standard:** 

T6 temper

## NSN 9540-01-218-7208

Structural Beam - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A13100