

View Online at <https://aerobasegroup.com/nsn/9540-01-353-6237>

**Fabrication Method:**

Extruded

**Overall Width:**

2.000 inches

**Length:**

12.000 feet

**Left Side Flange Height:**

3.750 inches

**Right Side Flange Height:**

3.750 inches

**Left Side Flange Thickness:**

0.125 inches

**Right Side Flange Thickness:**

0.125 inches

**End Application:**

B-1b acft

**Basic Shape Style:**

H shape

**Left Side Top Flange Distance To Center Of Both Flanges:**

1.875 inches

**Left Side Bottom Flange Distance To Center Of Both Flanges:**

1.875 inches

**Right Side Top Flange Distance To Center Of Both Flanges:**

1.875 inches

**Right Side Bottom Flange Distance To Center Of Both Flanges:**

1.875 inches

**Fillet Radius Where Top Left Flange Joins Web Flange/leg:**

0.125 inches

**Fillet Radius Where Bottom Left Flange Joins Web Flange/leg:**

0.125 inches

**Fillet Radius Where Top Right Flange Joins Web Flange/leg:**

0.125 inches

**Fillet Radius Where Bottom Right Flange Joins Web Flange/leg:**

0.125 inches

**Web Flange Thickness:**

0.500 inches

**Weight Per Unit Measure:**

2.192 pounds per linear foot

**First Tip Style:**

Square end

**Second Tip Relationship To First Tip:**

Identical

**Third Tip Relationship To Preceding Tips:**

Identical w/first tip

**Fourth Tip Relationship To Preceding Tips:**

Identical w/first tip

**Right Top Inside Angle:**

90.0 degrees

**Left Top Inside Angle:**

90.0 degrees

**Left Bottom Inside Angle:**

90.0 degrees

**Right Bottom Inside Angle:**

90.0 degrees

**Heat Treatment:**

O-annealed

**Material:**

Aluminum alloy, qq-a-200/3

**Material:**

Aluminum alloy 2024

**Material Specification:**

Qq-a-200/3 federal specification 1st material response

**Surface Treatment:**

Anodize

**Surface Treatment:**

Anodized, mil-a-8625 and paint, primer

**Specification Or Standard:**

O temper and 10ac finish

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A13100