View NSN Online: https://aerobasegroup.com/nsn/9150-00-180-6266

MOBIL OIL CORPORATION -- AVREX S TURBO 260 -- 9150-00-180-6266

Product ID:AVREX S TURBO 260

MSDS Date:03/19/1988

FSC:9150

NIIN:00-180-6266

MSDS Number: BDGCK === Responsible Party ===

Company Name: MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX State:VA ZIP:22037

Info Phone Num:703-849-3265 (SHIRLEY CASTILLO)

Emergency Phone Num:212-883-4411

CAGE:1G11

2

=== Contractor Identification ===

Company Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA ZIP:22037 Country:US

Phone: 800-662-4525/856-224-4644

CAGE:3U728

Company Name: MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX State:VA

ZIP:22037-0001

Phone: (703) 846-1482

CAGE:1G112

======= Composition/Information on Ingredients ========

Ingred Name: SYNTHETIC OILS

Fraction by Wt: 90%

OSHA PEL:5MG/M*3(OIL MIST)

ACGIH T

LV:5MG/M*3(OIL MIST)
Ingred Name:ADDITIVES AND OTHER INGREDIENTS Fraction by Wt: 10%
Ingred Name:ANILINE (SARA III) CAS:62-53-3 RTECS #:BW6650000 Fraction by Wt: 0.0001% OSHA PEL:S, 5 PPM ACGIH TLV:S, 2 PPM; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
======================================
LD50 LC50 Mixture:LD50 ORAL RAT=15G/KG Routes of Entry: Inhalation:NO Skin:UNKNOWN Ingestion:NO Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF OVEREXPOSUR E.
Effects of Overexposure:SLIGHT SKIN IRRITATION. Medical Cond Aggravated by Exposure:NONE NOTED
======================================
First Aid:EYES:FLUSH WITH WATER. SKIN:WASH WITH SOAP AND WATER. INHALATION:NOT EXPECTED TO BE A PROBLEM. INGESTION:NOT EXPECTED TO BE A PROBLEM WHEN INGESTED. IF UNCOMFORTABLE SEEK MEDICAL ASSISTANCE.
======================================
Flash Point Method:PMCC Flash Point:455F(235C) Lower Limits:0.6 Upper Limits:7.0
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*20 FOG. Fire Fighting Procedures:WEAR SCBA IN ENCLOSED AREAS. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL. USE WATER SPRAY TO FLUSH SPILLS. PREVENT RUNOFF FROM ENTERING STREAMS,DRINKING WTR. Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.
========= Accidental Release Measures ==========

Spill Release Procedures: ABSORB IN INERT MATERIAL. SHOVEL UP AND PLACE IN APPROPRIATE D

======================================
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:NONE NOTED BY MFR.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT. Protective Gloves:AS REQUIRED Eye Pro
tection:AS REQUIRED Other Protective Equipment:NONE Work Hygienic Practices:WASH AFTER HANDLING. REMOVE CONTAMINATED CLOTHING
Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:V6 Boiling Pt:B.P. Text:600F(316C) Vapor Pres:0.1 Spec Gravity:1 Viscosity:27.8 CS @100F Solubility in Water:NEGLIGIBLE Appearance and Odor:AMBER LIQUID,MILD ODOR.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:EXTREME HEAT. Hazardous Decomposition Products:CARBON MONOXIDE/CARBON DIOXIDE.
======= Disposal Considerations ===========
Waste Disposal Methods:PRODUCT IS SUITABLE FOR BURNING IN ENCLOSED

ISPOSAL CONTAINER.

Waste Disposal Methods:PRODUCT IS SUITABLE FOR BURNING IN ENCLOSED CONTROLLED BURNER OR DISPOSAL BY SUPERVISED INCINERATION. PRODUCT IS SUITABLE FOR REPROCESSING IN APPROVED RECYCLING FACILITY. BURNING MAY BE LIMITED BY RCR A. COMPLY WITH FEDERAL,STATE AND LOCAL REGUL

ATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.