View NSN Online: https://aerobasegroup.com/nsn/6810-00-270-3253

SPECTRUM CHEMICAL MFG CORP -- SULFAMIC ACID -- 6810-00-270-3253

Product ID:SULFAMIC ACID MSDS Date:12/17/1996 FSC:6810 NIIN:00-270-3253 MSDS Number: BDRPW === Responsible Party === Company Name: SPECTRUM CHEMICAL MFG CORP Address:14422 S. SAN PEDRO STREET City:GARDENA State:CA ZIP:90248-2027 Country:US Info Phone Num:213-516-8000 Emergency Phone Num:213-516-8000 Preparer's Name: E.BRULL CAGE:63415 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: INDUSTRIAL CHEMICAL COMMODITIES INC Address:15944 DERWOOD RD Box:City:ROCKVILLE State:MD ZIP:20855 Country:US Phone:800-284-5279 Contract Num:SP0450-99-M-NF25 CAGE:1ELU0 Company Name: SPECTRUM LABORATORY PRODUCTS INC Address:14422 S SAN PEDRO ST Box:City:GARDE

NA State:CA ZIP:90248-2027 Country:US Phone:310-516-8000/FAX: 310-516-9843 CAGE:63415

======= Composition/Information on Ingredients ==============

Ingred Name:SULFAMIC ACID CAS:5329-14-6 RTECS #:WO5950000 = Wt:100.

LD50 LC50 Mixture:ORAL-RAT LD50: 3160 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE: EYES: IRRITANT, CORROSIVE. CAN RESULT IN CORNEAL DAMAGE OR

BLINDNESS. SKIN: IRRITANT, CORROSIVE.

AMOUNT OF TISSUE DAMAGE DEPENDS ON LENGTH OF CONTACT. INHALATION: DUST WILL PRODUCE IRRITATION T O GI AND/OR RESPIRATORY TRACT. SEVERE OVER EXPOSURE CAN PRODUCE LUNG DAMAGE, UNCONSCIOUSNESS, OR DEATH. INGESTION: IRRITANT AND CORROSIVE TO ALL BODY TISSUES. CHRONIC:EXTREMELY DANGEROUS IN CASE OF SK IN CONTACT (CORROSIVE, IRRITANT), OF EYE CONTACT (IRRITANT), OF INGESTION, AND OF INHALATION. VERY DANGEROUS IN CASE OF SKIN CONTACT (SE NSITIZER).

SLIGHTLY DANGEROUS TO DANGEROUS IN CASE OF SKIN CONTA CT (PERMEATOR).

Explanation of Carcinogenicity:CARCINOGENIC EFFECTS: NOT AVAILABLE. Effects of Overexposure:EYES: IRRITATION, CORROSION, CORNEAL DAMAGE, BLINDNESS. SKIN: IRRITATION, CORROSION, INFLAMATION, BLISTERING, ITCHING, SCALING, DERMATITIS. INHALATION: IRRITATION OF RESPIRATORY TRACT, IRRITATION OF GI TRACT, BURNING, SNEEZING, COUGHING, LUNG DAMAGE, CHOKING, UNCONSCIOUSNESS, DEATH. INGESTION: EX

TREMELY DANGEROUS.

Medical Cond Aggravated by Exposure: PRE-EXISTING CONDITIONS MAY WORSEN.

First Aid:EYES: REMOVE CONTACT LENSES. FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. DO NOT USE AN EYE OINTMENT. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. PLACE VICTIM UNDER A DELUGE SHOWER. NEUTRALIZE EXPOSED SKIN WITH A DILUTE SOLUTION OF SODIUM CARBONATE. GENTLY AND THOROUGHLY WASH THE CONTAMINATE D SKIN WITH

RUNNING WATER AND NON-ABRASIVE SOAP. IF IRRITATION PERSISTS, GET MEDICAL ATTE NTION. INHALATION: MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IFNOT BREATHING, PERFORM MOUTH TO MOUTH RESUSCITATION. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDIC AL ATTENTION.

Flash Point:NON - FLAMMABLE. Extinguishing Media:NON-FLAMMABLE. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN ENCLOSED AREA. Unusual Fire/Explosion Hazard:NO SPECIFIC INFORMATION IS AVAILABLE IN MANUFACTURERS DATABASE REGARDING THE PRODUCTS RISKS OF EXPLOSION IN THE PRESENCE OF VARIOUS MATERIALS.

Spill Release Procedures:SMALL SPILL: PUT SPILLED SOLID IN DISPOSAL CONTAINER. IF NECESSARY: NEUTRALIZE RESIDUE WITH DILUTE SOLUTION OF SODIUM CARBONATE. LARGE SPILLS: DO NOT GET WATER INSIDE CONTAINER. DO

NOT TOUCH MATERIAL. USE WATER SPRAY TO REDUCE VAPORS. PREVENT ENTRY INTO SEWERS, BASEMENTS, CONFINED AREAS. DIKE IF NEEDED. CALL FOR ASSISTANCE ON DISPOSAL. NEUTRALIZE RESIDUE WITH DILUTE SOLUTION OF SODIUM CARBONATE.

Neutralizing Agent: DILUTE SOLUTION OF SODIUM CARBONATE.

Handling and Storage Precautions: CORROSIVE MATERIALS SHOULD BE STORED IN A SEPARATE SAFETY STORAGE CABINET OR ROOM. KEEP CONTAINER DRY.

NEVER ADD WATER TO THIS PRODUCT. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY E QUIPMENT. Other Precautions:DO NOT BREATH DUST. AVOID CONTACT WITH SKIN AND EYES. IF YOU FEEL UNWELL, GET MEDICAL ATTENTION AND SHOW THE LABEL WHEN POSSIBLE.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST,VAPOR/MIST IF ABOVE TLV/PEL OR SCBA IN AN ENCLOSED AREA. Ventilation:USE PROCESS ENCLOSU RES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO KEEP AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS. Protective Gloves: IMPERVIOUS. Eye Protection: CHEMICAL SPLASH GOGGLES. Other Protective Equipment: EYE-WASH, SAFETY SHOWER; FULL PROTECTIVE CLOTHING. FOR LARGE SPILLS WEAR SPLASH GOGGLES, FULL SUIT, VAPOR AND DUST RESPIRATOR, BOOTS, GLOVES. A SELF CONTAINED BREATHING APPARATUS SHOULD BE USED. Work Hygienic Practices: AVOID CONTACT WITH EYES AND SKIN. DO NOT BREATHE DUST, VAPORS, MIST. WASH THOROUGHLY AFTER EACH USE. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health IF USER OPERATIONS GENERATE DUST, FUME, OR MIST, USE VENTILATION TO KEEP EXPOSURE TO AIRBORNE CONTAMINANTS BELOW EXPOSURE LIMIT.

HCC:C1 Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES Decomp Temp:=205.C, 401.F Spec Gravity:2.15 pH:1 Solubility in Water:SOLUBLE IN COLD WATER. Appearance and Odor :COLORLESS,ODORLESS CRYSTALS.

Stability Indicator/Materials to Avoid:YES NO SPECIFIC INFORMATION IS AVAILABLE IN MANUFACTURERS DATABASE REGARDING THE REACTIVITY OF THIS MATERIAL IN PRESENCE OF VARIOUS OTHER MATERIALS. NON-CORROSIVE IN PRESENCE OF GLASS. Stability Condition to Avoid:WATER. Hazardous Decomposition Products:AMMONIA,OXIDES OF NITROGEN & SULFUR.

Toxicological Information:CHRONIC EFFECTS ON HUMANS: PRODUCT IS TOXIC TO LUNGS, MUCOUS MEMBRANES. TOXICITY OF PRODUCT TO REPRODUCTIVE SYSTEM: NOT AVAILABLE. OTHER EFFECTS ON HUMANS: EXTREMELY DANGEROUS IN CASE OF SKIN CONTACT(CORROSIVE, IRRITANT), OF EYE CONTACT (IRRITANT), OF INGESTION, OF INHALATION. VERY DANGEROUS IN CASE OF SKIN CONTACT (SENSITIZER). SLIGHTLY DANGEROUS TO DANGEROUS IN CASE OF SKIN CONTACT (PERMEATOR).

====== Ecological Informa

Ecological:TOXICITY OF THE PRODUCTS OF BIODEGRADATION: THE PRODUCTS OF DEGRADATION ARE AS TOXIC AS THE ORIGINAL PRODUCT.

Waste Disposal Methods:RECYCLE TO PROCESS, IF POSSIBLE. CONSULT YOUR LOCAL OR REGIONAL AUTHORITIES. DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Transport I

nformation:DOT CLASSIFICATION: SULFAMIC ACID, CLASS 8, UN2967, PKG III, CORROSIVE SOLID.

Federal Regulatory Information: LISTED ON TSCA: SULFAMIC ACID.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurat e and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.