View NSN Online: https://aerobasegroup.com/nsn/6850-01-100-9946

HERCULES CHEMICAL CO INC -- CLOBBER,20-205 -- 6850-01-100-9946

Product ID:CLOBBER,20-205

MSDS Date:07/07/1993

FSC:6850

NIIN:01-100-9946

MSDS Number: BGLVQ === Responsible Party ===

Company Name: HERCULES CHEMICAL CO INC

Address:29 WEST 38 STREET

City:NEW YORK

State:NY ZIP:10018 Country:US

Info Phone Num:800-221-9330

Emergency Phone Num:800-221-9330

CAGE:84794

===

Contractor Identification ===

Company Name: HERCULES CHEMICAL CO INC Address: 111 SOUTH STREET (OLD IS 29 W 38 ST)

Box:City:PASSAIC

State:NJ

ZIP:07055-7398

Country:US

Phone:973-778-5000

CAGE:84794

Company Name: SANCHEZ & ASSOCIATES

Address: 476 WEST FOGG STREET

Box:1649

City:COLTON (MAY BE OUT OF BUSINESS!)

State:CA ZIP:92324 Country:US

Phone:714-370-3921/FAX824-0341 ALL WRONG#

CAGE:0HF19

Company Name: SILVER SALES

Address:5115 DOUGLAS FIR RD SUITE C

Box:City:CALABASES

State:CA ZIP:91302 Country:U S

Phone:818-591-0788 WAS IN TX

CAGE:0WG65

Company Name: WISCONSIN SUPPLY CORP.

Address:6800 GISHOLT DR.

Box:8124 City:MADISON

State:WI

ZIP:53708-8124

Country:US

Phone:608-222-7799

CAGE:0APY9

======= Composition/Information on Ingredients ========

Ingred Name: SULFURIC ACID (SARA III)

CAS:7664-93-9

RTECS #:WS5600000 Fraction by Wt: 93%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

====== Hazards I dentification ==========

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 2140 MG/KG (RTECS)

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE & CHRONIC- SERIOUS BURNS TO ALL TISSUES CONTACTED. EXCEEDINGLY DANGEROUS TO EYE. OVER EXPOSURE TO MISTS MAY LEAD TO PULMONARY EDEMA. LONG EXPOSURES MAY CAUSE RESPIRATORY INFECTIONS, LUNG DAMAGE. MAY CAUSE DENTAL ERROSION, DERMATITIS.BRONCHITI

S & DEATH. TARGET ORGANS:EYES, SKIN, RESPIRATORY & GI TRACTS.

Effects of Overexposure:EYE, SKIN BURNS, DENTAL ERROSION, PULMONARY EDEMA, BRONCHITIC SYMPTOMS, EMPHYSEMA, TISSUE PERFORATION, STOMACH PAIN, DEATH

Medical Cond Aggravated by Exposure:SKIN IRRITATION MAY BE AGGRAVATED IN PERSONS WITH EXISTING SKIN LESION. MAY AGGRAVATE PRE-EXISTING EYE, TEETH AND PULMONARY DISEASES.

First Aid:SPEED IS ESSENTIAL.

START FIRST AID & GET MEDICAL CARE AT ONCE. EYES/SKIN:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:D O NOT INDUCE VOMITING. IF CONSCIOUS, DRINK MILK OR WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Flash Point:NONE Extinguishing Media: WATER FROM A DISTANCE, CO2, DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR FULL ACID PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard: NON-FLAMMABLE, BUT MAY CAUSE IGNITION BY CONTACT WITH COMBUSTIBLES. FIRE MAY PRODUCE POISONOUS GASES. WORK UPWIND IF POSSIBLE. DO NOT GET WATER INSIDE CONTAINER ======== Accidental Release Measures ============ Spill Release Procedures:WEAR PROTEC TIVE EQUIPMENTS. ELIMINATE IGNITION SOURCES (H2 MAY BE GENERATED). VENTILATE AREA. DIKE SPILL. CONTAIN/ABSORB SPILLS WITH DRY SAND, EARTH, VERMICULITE. DO NOT ADD WATER. CAREFULLY NEUTRALIZ E WITH SODA ASH, SODIUM BICARBONATE, LIME. Neutralizing Agent:LIME OR SODA ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN COOL, DRY PLACE AWAY FROM INCOMPATIBLE MATERIALS. WEAR GLOVES WHILE HANDLING. DO NOT ADD WATER TO A CID. Other Precautions: AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF C HILDREN.

====== Exposure Controls/Personal Protection ========

AIR-PURIFYING RESPIRATOR FOR ACID.

Ventil

Respiratory Protection: NON REQUIRED UNDER NORMAL CONDITIONS. IF MISTING IS OCCURRING, USE NIOSH-APPROVED SUPPLIED AIR RESPIRATOR, OR AN

ation:LOCAL EXHAUST OR MECHANICAL (GENERAL) VENTILATION AS REQUIRED. Protective Gloves:RUBBER OR PLASTIC Eye Protection:SPLASH GOGGLES, FULL FACE SHIELD Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER, RUBBER COVERALLS, RUBBER HOOD, RUBBER SHOES Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health
======== Physical/Chemical Properties
======================================
HCC:C1 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:334F,168C Vapor Pres:2. Vapor Density:2.8 Spec Gravity:1.7 - 1.8 Solubility in Water:MISCIBLE->GREAT HEAT Appearance and Odor:TRANSLUCENT REDDISH BROWN LIQUID - SULPHUR DIOXIDE (ROTTEN EGG) ODOR
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES CHLORATES, CARBIDES, PICRATES, POWDERED METALS, STRONG BASES, STRONG REDUCING AGENTS, COMBUSTILE & ORGANI C MATERIALS Stability Condition to Avoid:WATER, HEAT, SPARKS, FLAME (HYDROGEN GAS MAY BE PRESENT) AND STEAM Hazardous Decomposition Products:SULFUR TRIOXIDE, SULFUR DIOXIDE, SULFURIC ACID MIST
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by ele

ments of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.