View NSN Online: https://aerobasegroup.com/nsn/6750-00-945-6522

FUJI HUNT PHOTOGRAPHIC CHEMICALS, INC. -- TYPE B STARMAT DEVLPR & REPL, PART C -- 6750-00-945-6522

Product ID: TYPE B STARMAT DEVLPR & REPL, PART C MSDS Date:02/23/1989 FSC:6750 NIIN:00-945-6522 Kit Part:Y **MSDS Number: BPBZX** === Responsible Party === Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS, INC. Address:W 115 CENTURY RD City:PARAMUS State:NJ ZIP:07652 Country :US Info Phone Num:201-967-9603, 800-344-1847 Emergency Phone Num:800-OLIN-911 Preparer's Name: OLIN MSDS CONTROL GROUP CAGE:73877 === Contractor Identification === Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS INC Address:W 115 CENTURY RD Box:988 **City:PARAMUS** State:NJ ZIP:07653-0988 Country:US Phone:201-967-9603 CAGE:73877

Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 55-60% Other REC Limits :NONE SPECIFIED BY M. OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:2-METHOXYETHANOL (EGME) (SARA III) CAS:109-86-4 RTECS #:KL5775000 Fraction by Wt: 30-35% Other REC Limits:NONE SPECIFIED BY M. OSHA PEL:S, 25 PPM ACGIH TLV:S, 5 PPM; 9293

Ingred Name:PYRAZOLIDINE DERIVATIVE Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED

Ingred Name:BENZOTRIAZOLE CAS:95-14-7 RTECS #:DM1225000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO

Health Hazards Acute and Chronic:ACUTE-EYES/SKIN:IRRITATION/BURNS. INHALATION:CAUSES SEVERE IRRITATION TO THE RESPIRATORY TRACT. INGESTION:HARMFUL IF SWALLOWED. SEVERE IRRITATION OR BURNS OF THE INTESTINAL TRACT. CHRONIC-DERMATITIS, MAY CAUSE BIRTH DEFECTS AND ANEMIA.

Effects of Overexposure: BURNS AND IRRITA

TION TO SKIN, EYES, & MUCOUS

MEMBRANES

Medical Cond Aggravated by Exposure:LIVER, SPLEEN, KIDNEY, SKIN AND PULMONARY DISEASES.

First Aid:EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES.SEE DOCTOR; SKIN:RINSE THOROUGHLY, WASH WITH SOAP AND WATER. SEE DOCTOR; INHALATION:REMOVE TO FRESH AIR,SEE DOCTOR; INGESTION:GIVE MILK OF MAGNESIA, CH ALK OR WHITING WITH WATER, SEE DOCTOR.

====== Fire Figh

Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE Fire Fighting Procedures: WEAR SCBA. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINER AND TO DISPERSE UNIGNITED VAPORS. Unusual Fire/Explosion Hazard: GIVES OFF TOXIC VAPORS OF ACETIC ACID AND OXIDE OF CARBON. Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. NEUTRALIZE, ABSORB IN INERT MATERIAL. SHOVEL INTO AP PROPRIATE DISPOSAL CONTAINER AND COVER. Neutralizing Agent: 20% SODIUM BICARBONATE SOLUTION Handling and Storage Precautions: KEEP CNTNRS CLOSED. STORE IN COOL, DRY, WELL VENTILATED AREA. Other Precautions: AVOID INHL AND CONTACT W/EYE-SKN. DO NOT INGEST. Respiratory Protection: USE NIOSH APPROVED RESPIRATOR SUITABLE FOR ORGANC VAPORS/MIST. Ventilati on:LOCAL EXHAUST RECOMMENDED. Protective Gloves: RUBBER Eye Protection: SAFETY GLASSES, GOGGLES OR FACE SHIELD. Other Protective Equipment: RUBBER APRON Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. REMOVE AND LAUNDER CONTAMINATED CLOTHING. Supplemental Safety and Health THIS IS PART C OF A 3-PART PRODUCT. FOR PARTS A & B, SEE PNI D & E, SAME NSN. PART C CAT # 718346. WHOLE KIT # 810838. KEY1:C2.

HCC:C2 Boiling Pt:=118.3C, 245.F Vapor Pres:12 MMHG Spec Gravity:1.04 pH: