View NSN Online: https://aerobasegroup.com/nsn/6850-01-287-1057

NALFLEET INC -- 9-111 (NF-411) -- 6850-01-287-1057

Product ID:9-111 (NF-411) MSDS Date:06/01/1991

FSC:6850

NIIN:01-287-1057

MSDS Number: BRQHY
=== Responsible Party ===
Company Name:NALFLEET INC
Address:195 MOUNTAIN AVE

City:SPRINGFIELD

State:NJ

ZIP:07081-1216

Country:US

Info Phone Num:201-379-1340

CAGE:95719

=== Contractor Identification ===

Company Name: NALFLE

**ET INC** 

Address:195 MOUNTAIN AVE

Box:City:SPRINGFIELD

State:NJ

ZIP:07081-1755

Country:US

Phone:973-379 -1340

CAGE:95719

======= Composition/Information on Ingredients ========

Ingred Name: SODIUM HYDROXIDE (SARA III)

CAS:1310-73-2

RTECS #:WB4900000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: SODIUM NITRITE (SARA III)

CAS:7632-00-0

RTECS #:RA1225000

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:

100 LBS DOT Rpt Qty:100 LBS

Ingred Name: SODIUM TOLYLTRIAZOLE

CAS:64665-57-2

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM NITRATE

CAS:7631-99-4

RTECS #:WC5600000

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification ================

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE AND CHRONIC HEALTH HAZARD S ARE

DIFFICULT TO ACCURATELY ASSESS FOR MIXTURES. SPECIFIC CHRONIC EFFECTS CAN BE STUDIED FROM THE INDIVIDUAL HAZARDOUS CHEMICALS UNDER INGREDIENTS AS THE BEST GUESS WI THOUT EXTENSIVE LABORATORY STUDIES.

Effects of Overexposure:IMMEDIATE CONTACT WILL CAUSE STRONG BURNING OF SKIN, EYES AND MUCOUS MEMBRANES. MATERIAL IS CORROSIVE TO ALL BODY TISSUES.

Medical Cond Aggravated by Exposure: A KNOWLEDGE OF THE AVAILABLE TOXICOLOGY INFORMATION AND OF THE PHYSICAL PROPERTIES OF THE

MATERIAL SUGGESTS THAT EXPOSURE IS UNLIKELY TO AGGRAVATE EXISTING MEDICAL CONDITIONS.

First Aid:EYES: IMMEDIATELY FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION AS SOON AS POSSIBLE. FAST RESPONSE DURING THE FIRST MINUTE IS CRITICAL. SKIN: WASH WITH WATER THEN NEUTRALIZE WI TH DILUTE VINEGAR OR MILD ACIDIC JUICE.INHALATION: REMOVE TO FRESH AIR. GET A DOCTOR IF INDICATED. IN

**GESTION: WASH** 

MOUTH AND OTHER CONTACTED PARTS WITH WATER. DO NOT INDUCE VOMITING. CALL A DOCTOR.

Extinguishing Media:THIS PRODUCT IS NOT COMBUSTIBLE. USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING MATERIALS.

Fire Fighting Procedures:PROTECTIVE CLOTHING AND PRESSURE-DEMAND, SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN BY FIREFIGHTERS IN AREAS WHERE THESE PRODUCTS ARE STORED.

Unusual Fire/Explosion Ha



Boiling Pt:B.P. Text:>212F,>100C Spec Gravity:1.350 (WATER=1)

pH:12.2

HCC:B3

Evaporation Rate & Deference: