

BAXTER DIAGNOSTICS INC FMRLY TRAVENOL LAB -- MICROSCAN MINERAL OIL --  
6640-01-240-9960

===== Product Identification =====

Product ID:MICROSCAN MINERAL OIL

MSDS Date:01/23/1992

FSC:6640

NIIN:01-240-9960

MSDS Number: BVZKM

=== Responsible Party ===

Company Name:BAXTER DIAGNOSTICS INC FMRLY TRAVENOL LAB

Address:1584 ENTERPRISE BLVD

City:WEST SACRAMENTO

State:CA

ZIP:95691

Country:US

Info Phone Num:91

6-374-3044/800-677-7226

Emergency Phone Num:916-374-3044

CAGE:0WG31

=== Contractor Identification ===

Company Name:BAXTER DIAGNOSTICS INC, MICROSCAN DIV/TRAVENOL LAB

Address:1584 ENTERPRISE BLVD

Box:City:WEST SACRAMENTO

State:CA

ZIP:95691

Country:US

Phone:916-374-3044

CAGE:0WG31

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL

CAS:8012-95-1

RTECS #:PY8030000

Fraction by Wt: 100% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3 (

=====  
===== Hazards Identification =====  
=====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EXPOSURE TO DENSE OIL MIST RESULTS IN  
RESPIRATORY TRACT IRRITATION. PROLONGED EXPOSURE MAY CAUSE LIPID  
PNEUMONIA, ASTHMA, FIBROSIS.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRA  
TIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:RESPIRATORY TRACT IRRITATION, PNEUMONIA,  
ASTHMA, FIBROSIS.  
Medical Cond Aggravated by Exposure:PERSONS WITH CHRONIC RESPIRATORY  
DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====  
===== First Aid Measures =====  
=====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS  
OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.  
  
WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL  
ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET  
MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL  
ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point Method:CC  
Flash Point:295F,146C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL  
Fire Fighting Procedures  
:AVOID BREATHING HAZARDOUS VAPORS. KEEP UPWIND.  
Unusual Fire/Explosion Hazard:TOXIC GASES ARE RELEASED DURING  
COMBUSTION.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:TAKE UP WITH ABSORBENT MATERIAL AND PLACE INTO  
CLEAN DRY CONTAINER FOR LATER DISPOSAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:STORE AWAY FROM STRONG OXIDIERS.  
O

ther Precautions:AVOID SKIN CONTACT. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE REQUIRED.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:PVC

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health  
AVOID PROLONGED SKIN CONTACT.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:680F,360C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:NOT GIVEN

Spec Gravity:0.83-0.9

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:INSOLUBLE

Appearance and Odor:CLE

AR, COLORLESS OIL LIQUID

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

=====  
===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR L

INER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.