View NSN Online: https://aerobasegroup.com/nsn/6850-01-281-5705 CANON U.S.A., INC. -- F41-6912-000, CLC 500 STARTER (BLACK) ______ MSDS Safety Information ______ FSC: 6850 NIIN: 01-281-5705 MSDS Date: 12/01/1991 MSDS Num: BXRYZ Product ID: F41-6912-000, CLC 500 STARTER (BLACK) Responsible Party Cage: 08YZ7 Name: CANON U.S.A., INC. Address: ONE CANON PLAZA City: LAKE SUC **CESS NY 11042** Info Phone Number: 516-488-6700 Emergency Phone Number: 516-488-6700/800-424-9300(CHEMTREC) Proprietary Ind: Y Review Ind: Y Published: Y ______ Contractor Summary _____ Cage: 08YZ7 Name: CANON USA INC Address: ONE CANON PLZ City: NEW HYDE PARK NY 11042 Phone: 516-328-5000; 5600 ______ Item Description Information _____ Item Manager: S9G Item Name: DEVELOPER, INDIRECT ELECTROSTATIC PROCESS Unit of Issue: EA UI Container Qty: 0 Type of Container: UNKNOWN _____ Ingredients ______ Name: *** PROPRIETARY *** -----______

Health Hazards Data

LD50 LC50 Mixt

ure: PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Route Of Entry Inds - Inhalation: YES

Skin: NO Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: ACUTE-INHALATION:TONER IS FINELY DIVIDED SOLID. DO NOT

BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATING. SKIN:LOW HAZARD FOR INDUSTRIAL HANDL ING.

CHRONIC-NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE.

Explanation Of Carcinogenicity: MANUFACTURER GAV

E NO INFORMATION ABOUT

CARCINOGENICITY. FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.

Signs And Symptions Of Overexposure: EYE IRRITATION. MFR GAVE NO FURTHER INFORMATION ON MSDS.

Medical Cond Aggravated By Exposure: MFR GAVE NO INFORMATION ON MSDS.

First Aid: INHALATION:REMOVE FROM EXPOSURE TO FRESH AIR. EYE:OPEN EYE AND FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

SKIN:WASH WITH SOAP AND WATER. INGESTION:DRINK SEVERAL GLASSES OF WATER. CALL PHYS.

Handling and Disposal

Spill Release Procedures: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.

Neutralizing Agent: MFR GAVE NO INFORMATION ON MSDS.

Waste Disposal Methods: NO SPECIAL DISPOSAL TECHNIQUE REQUIRED. ENSURE

COMPLIANCE WITH FEDERAL, STATE AND/OR LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN. KEEP FROM

CONTACT WITH O XIDIZING MATERIALS.

Other Precautions: MFR GAVE NO INFORMATION ON MSDS.

Fire and Explosion Hazard Information

Extinguishing Media: WATER, DRY CHEMICAL, CO2.

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: THIS MATERIAL, LIKE MOST ORGANIC MATERIALS IN

POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

Control Me

asures
Respiratory Protection: MFR GAVE NO INFORMATION ON MSDS. Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. Protective Gloves: NONE REQUIRED Eye Protection: NONE REQUIRED Other Protective Equipment: NONE. Work Hygienic Practices: MFR GAVE NO INFORMATION ON MSDS. Supplemental Safety and Health: MSDS RECEIVED FROM THE AIR FORCE (FOCAL POINT F). NSN IDENTIFIED BY FOCAL POINT F. PART NUMBER ON MSDS (F41-6902-000) DOES NOT M ATCH THE ONE ON THE CTDF (F41-5102-700).
Physical/Chemical Properties
HCC: N1 NRC/State LIC No: NONE M.P/F.P Text: >212F,>100C Decomp Text: UNKNOWN Spec Gravity: 1.0-4.5 Viscosity: UNKNOWN Evaporation Rate & Reference: NEGLIGIBLE (N-BUAC = 1) Solubility in Water: NOT SOLUBLE Appearance and Odor: FINE POWDER, SLIGHT PLASTIC ODOR. Percent Volatiles by Volume: NEGLIG Corrosion Rate: UNKNOWN
Reactivity Data
Stability Indicator: YES Stability Condition To Avoid: MFR GAVE NO INFORMATION ON MSDS. Materials To Avoid: STRONG OXIDIZERS. Hazardous Decomposition Products: AS WITH ANY OTHER ORGANIC MATERIAL DECOMPOSITION WILL PRODUCE CO2 AND CO. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: WILL NOT OCCUR. ===================================
Toxicological Information

Ecological Information

Regulatory Information

MSDS Transport Information

Other Information _____ _____ Transportation Information _____ Responsible Party Cage: 08YZ7 Trans ID NO: 121705 Product ID: F41-6912-000, CLC 500 STARTER (BLACK) MSDS Prepared Date: 12/01/1991 Review Date: 09/12/1995 MFN: 2 Net Unit Weight: UNKNOWN Multiple KIT Number: Review IND: Y Unit Of Issue: EA Container QTY: 0 Type Of Container: UNKNOWN ______ Detail DOT Information _____ DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ **Detail IMO Information** IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION ______ **Detail IATA Information** _____ IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ Detail AFI Information AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: F41-6912-000, CLC 500 STARTER (BLACK)

Cage: 08YZ7

Company Name: CANON USA INC

Street: ONE CANON PLZ City: NEW HYDE PARK NY

Zipcode: 11042

Health Emergency Phone: 516-488-6700/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 09/12/1995

Status Code: C

MFG Label NO: NONE Label Date: 09/12/1995 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES

S

ignal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight Contact Hazard: Slight Fire Hazard: None Reactivity Hazard: None

Hazard And Precautions: **TARGET-ORGANS:RESPIRATORY SYSTEM **

ACUTE-INHALATION:TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATI NG. SKIN:LOW HAZARD FOR INDUSTRIAL HANDLING. CHRONIC-NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE. KEEP OUT OF REACH OF CHILDREN.

KEEP FROM CONTACT WITH OXIDIZING MATERIALS. IN CASE OF SPILL: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or

iability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of si

milarity to a corresponding Department of Defense or other government situation.