View NSN Online: https://aerobasegroup.com/nsn/8520-01-303-6439

Product ID:DR. FINK'S TOOTH POWDER MSDS Date:10/31/1994 FSC:8520 NIIN:01-303-6439 **MSDS Number: CCKHG** === Responsible Party === Company Name: PLASTERDENT, INC. Address:2881 MIDDLETON RD. City:BRONX State:NY ZIP:10461 Country:US Info Phone Num:718-792-3554 Emergency Phone Num:718-543-4385 Preparer's N ame:DR. JOSEPH J. FINK CAGE:NO396 === Contractor Identification === Company Name: PLASTERDENT, INC. Address:2881 MIDDLETON RD. Box:City:BRONX State:NY ZIP:10461 Country:US Phone:718-792-3554 CAGE:NO396 Company Name: PLASTODENT INC. Address:2881 MIDDLETON ROAD Box:City:BRONX State:NY ZIP:10461-3306 Country:US Phone:212-792-3554 CAGE:8P273

Ingred Name:NONE PER 29 CFR 1910.1200. Fraction by Wt: NA Other REC Limits:NONE RECOMMENDED Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SNEEZING, COUGHING, SKIN IRRIT, WATERING OF EYES, NO KNOWN CHROME EFFECTS. Medical Cond Aggravated by Exposure:NONE REPORTED.

First Aid:EYES: FLUSH W/WATER FOR 15 MIN. IF IRRIT PERSISTS CALL DOCTOR. SKIN: W ASH W/SOAP & WATER. INHALATION: GET FRESH AIR. INGESTION: IF CONSCIOUS GIVE LARGE QTY OF WATER TO INDUCE VOMITING. CALL DOCTOR.

Flash Point:NONCONBUSTIBLE. Lower Limits:NA Upper Limits:NA Extinguishing Media:AS APPROPRIATE FOR SURROUNDING COMBUSTIBLES. Fire Fighting Procedures:AVOID SKIN CONTACT & GENERATION OF DUSTS. Unusual Fire/Explosion Hazard:IGNITS ON CONTACT WITH FLUORINE.

============ Accidental Releas

Spill Release Procedures:THOSE INVOLVED IN CLEANUP OF SPILLS SHOULD USE RESPIRATORY PROT FOR AIRBORNE DUST. VACUUM OR SCOOP UP MATLS FOR RECOVERY OR DISPOSAL AVOIDING DUSTY CONDTNS AND USING GOOD VENT. WETTING SPILL W/WATER S PRAY MAY KEEP AIRBORNE DUST LEVELS DOWN. Neutralizing Agent:NA

Handling and Storage Precautions:STORAGE SEGREGATION. AVOID PHYSICAL DAMAGE TO CONTAINERS. ST

ORE IN COOL, DRY WELL VENTILATED AREA AWAY FROM ACIDS. Other Precautions: PROVISIONS OF ADEQUATE VENTILATION WHERE NECESSARY. WHERE DUST CANT BE CONTROLLED IN THIS WAY PERSONAL RESPIRATORY PROTECTION SHOULD BE EMPLOYED. Respiratory Protection: DUST MASKS. Ventilation: ADEQUATE EXHAUST VENTILATION. Protective Gloves:LEATHER OR RUBBER. Eve Protection: SAFETY GLASSES OR DUST TIGHT GOGGLES. Other Protective Equipment:NO SP ECIAL REQUIREMENTS. Supplemental Safety and Health NK Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp:Decomp Text:228F,109C Vapor Pres:NA Vapor Density:NA Spec Gravity:2.45 pH:NA Evaporation Rate & amp; Reference:NA Solubility in Water:SLIGHT. Appearance and Odor:WHITE POWDER MINT FLAVOR Stability Indicator/Materials to Avoid:YES ACIDS AND FLUORINE. Stability Condition to Avoid: EXCESS DUST GENERATION AND TEMPS > 228F Hazardous Decomposition Products: YIELDS ABOUT .5% PER HOUR OF SODIUM CARBONATE WHEN >120F. Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unite d States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.