View NSN Online: https://aerobasegroup.com/nsn/6850-01-468-4424

Product ID: ACTIVATED ALUMINAS, F200 MSDS Date:01/15/1999 FSC:6850 NIIN:01-468-4424 Status Code:A MSDS Number: CLQLV === Responsible Party === Company Name: ALCOA ALUMINA & CHEMICAL, L.L.C. Address:425 SIXTH AVENUE City:PITTSBURGH State:PA ZIP:15219-1850 Country:US Info Phone Num:412-553-4649 Emergency Phone Num:1-703-527-3887 1-800-424-9300 Chemtrec Ind/Phone:(800)424-9300 CAGE:TO281 === Contractor Identification === Company Name: ALCOA ALUMINA & CHEMICAL, L.L.C. Address:425 SIXTH AVENUE Box:City:PITTSBURGH State:PA ZIP:15219-1850 Country:US Phone:412-553-4649 CAGE:TO281 Company Name: CEPEDA ASSOCIATES INC Address:1110 DECIMAL DR Box:City:LOUISVILLE State:KY ZIP:40299-2440 Country:US CAGE:60756

Ingred Name

:ALUMINUM OXIDE CAS:1333-84-2 < Wt:97.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ALUMINA IS A LOW HEALTH RISK AND SHOULD BE TREATED AS A NUISANCE DUST AS CLASSIFIED BY ACGIH.SKIN: CAN CAUSE MILD IRRITATION. EYE: CAN CAUSE MILD IRRITATION. INHALATION: CAN CAUSE MILD UPPER RESPIRATO RY TRACT IRRITATION. INGESTION: CAN CAUSE MILD IRRITATION.
Explanation of Carcin ogenicity:NOT RATED AS CARCINOGEN BY NTP OR IARC.
Effects of Overexposure:SKIN: CAN CAUSE MILD IRRITATION. EYE: CAN CAUSE MILD IRRITATION. INHALATION: CAN CAUSE MILD UPPER RESPIRATORY TRACT IRRITATION. INGESTION: CAN CAUSE MILD IRRITATION.
Medical Cond Aggravated by Exposure:ASTHMA, CHRONIC LUNG DISEASE, AND SKIN RASHES.

First Aid:AFTER INHALATION: REMOVE TO FRESH AIR. CHECK FOR CLEAR AIRWAY, BREATHING, AND PR

ESENCE OF PULSE. PROVIDE CARDIOPULMONARY RESUSCITATION FOR PERSONS WITHOUT PULSE OR RESPIRATIONS. CONSULT A PHYSICIAN. A FTER SKIN CONTACT: WASH WITH SOAP AND WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN. AFTER EYE CONTACT: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN. AFTER SWALLOWING: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO A CONVULSING OR UNCONSCIOUS PERSON. IF SWALLOWED, DILUTE BY DRINKING LARGE A MOUNTS

OF WATER. CONSULT A PHYSICIAN.

Autoignition Temp:Autoignition Temp Text:NONE Extinguishing Media:SUITABLE EXTINGUISHING AGENTS Fire Fighting Procedures:USE FIRE FIGHTING MEASURES THAT SUIT THE ENVIRONMENT. WEAR SELF-CONTIANED RESPIRATORY PROTECTIVE DEVICE. WEAR FULLY PROTECTIVE SUIT. Unusual Fire/Explosion Hazard:AUTO-IGNITION: PRODUCT NOT SELF-IGNITING.

PRODUCT DOES NOT PRESENT AN EXPLOSION HAZARD.

==

Spill Release Procedures:WEAR PROTECTIVE CLOTHING. MEASURES FOR ENVIROMENTAL PROTECTION: NO SPECIAL MEASURES REQUIRED. CLEAN UP USING DRY PROCEDURES; AVOID DUSTING. NO DANEROUS SUBSTANCES ARE RELEASED.

Handling and Storage Precautions: ENSURE GOOD VENTILATION/EXHAUST AT THE WORKPLACE. PREVENT FORMATION OF DUST. PROVIDE SUCTION EXTRACTORS IF

DUST IS FORMED. KEEP MATERIAL DRY. Other Precautions:NO SPECIAL MEASURES ARE REQUIRED.

Respiratory Protection: USE SUITABLE RESPIRATORY PROTECTIVE DEVICE IN CASE OF INSUFFICIENT VENTILATION. SHORT TERM FILTER DEVICE: FILTER P2.

Ventilation: USE SUITABLE RESPIRATORY PROTECTIVE DEVICE IN CASE OF INSUFFICIENT VENTILATION.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: SAFETY GLASSES

Work Hygienic Practices:DO NOT I

NHALE DUST. AVOID CONTACT WITH THE

EYES.

Supplemental Safety and Health

COMPONENTS WITH LIMITS THAT REQUIRE MONITORING AT THE WORKPLACE: 133-84-2 ALUMINUM OXIDE (NON FIBROUS), OSHA:15 TOTAL, 5 RESPIRABLE MG/M3. TLV:10 MG/M3

HCC:T6 Boiling Pt:B.P. Text:UNDETERMINED Melt/Freeze Pt:=2038.C, ######F Vapor Density:0.62-0.83 pH:@20C 9.4-10.1 Solubility in Water:INSOLUBLE Appearance and Odor:WHITISH CRYSTALLINE POWDE

R,GELATINOUS,BALLS,GRANULES,PELLETS.ODOR:CHARACTERISTI

Stability Condition to Avoid:HEATING OCCURS WHEN WATER IS ADDED. Hazardous Decomposition Products:NO DECOMPOSITION IF USED ACCORDING TO SPECIFICATIONS. NO DANGEROUS DECOMPOSITION PRODUCTS KNOWN. NON-CORROSIVE.

Toxicological Information:PRIMARY IRRITANT EFFECT: ON THE SKIN CAN CAUSE MILD IRRITA

TION, ON THE EYES CAN CAUSE MILD IRRITATION. INHALATION: CAN CAUSE MILD UPPER RESPIRATORY TRACT IRRITATION. INGESTION: CAN CAUSE MILD IRRITATI ON. ADDITIONAL TOXICOLOGICAL INFORMATION: THE PRODUCT IS NOT SUBJECT TO CLASSIFICATION ACCORDING TO THE CALCULATION METHOD OF THE GENERAL EU CLASSIFICATION GUIDELINES FOR PREPARATION AS ISSUED IN THE LATEST VERSION.

Ecological:WATER HAZARD CLASS 0 (GERMAN REGULATIO N) (SELF ASSESSMENT): GENERALLY NOT HAZARDOUS FOR WATER

Waste Disposal Methods:COLLECT IN CONTAINERS, BAGS, OR COVERED DUMPSTER BOXES. IF REUSE OR RECYCLING IS NOT POSSIBLE, MATERIAL MAY BE DISPOSED OF AT AN INDUSTRIAL LANDFILL. EUROPEAN COMMUNITY WASTE DISPOSAL KEY: 16 03 01 5 13 05 UNCLEANED PACKAGINGS: RECOMMENDATION: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS.

Transport Information: PER MANUFACTURER: U.S.A.DOT: NOT REGULATED

 SARA Title III Information: SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: NONE. SECTION 311/312 HAZARDOUS CATEGORIES: IMMEDIATE (ACUTE). SECTION 313 TOXIC CATEGORIES: NONE.
 Federal Regulatory Information: IN REFERENCE OF TITLE VI OF THE CLEAN AIR ACT OF 1980, THIS MATERIAL DOES NOT CONTAIN NOR WAS IT

MA

NUFACTURED USING OZONE-DEPLETING CHEMICALS. ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INV ENTORY. FOR TSCA INVENTORY REPORTING PURPOSES, CAS NO. 1344-28-1 WAS ASSIGNED FOR ALL FORMS OF ALUMINUM OXIDE INSTEAD OF CAS NO. 1344-84-2. ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE CANADIAN DS L. ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE AICS.ALL COMPONENTS OF THIS PRODUCT ARE LISTED O N THE MITT.GENERALLY NOT HAZARDOUS FOR WATER.

Disclaimer (provided wit

h this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.