View NSN Online: https://aerobasegroup.com/nsn/8030-00-427-2661

## ADVANCED CHEMISTRY & TECHNOLOGY -- AC-236 ACCELERATOR -- 8030-00-427-2661

Product ID:AC-236 ACCELERATOR

MSDS Date:04/01/1999

FSC:8030

NIIN:00-427-2661

Status Code:A

Kit Part:Y

MSDS Number: CLQVH === Responsible Party ===

Company Name: ADVANCED CHEMISTRY & TECHNOLOGY

Address:7341 ANACONDA AVE

City: GARDEN GROVE

State:CA

ZIP:92841-2921 Country:US

Info Phone Num:714-

373-2837

Emergency Phone Num:1-800-424-9300 Preparer's Name:ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300

CAGE:1DWR5

=== Contractor Identification ===

Company Name: ADVANCED CHEMISTRY & TECHNOLOGY

Address:7341 ANACONDA AVE Box:City:GARDEN GROVE

State:CA

ZIP:92841-2921 Country:US

Phone:714-373-2837

CAGE:1DWR5

======= Composition/Information on Ingredients ========

Ingred Name: MANGANESE OXIDE

CAS:1313-13-9

RTECS #:OP0350000 Minumum % Wt:60. Maxumum % Wt:70. OSHA PEL:C5 MG/M3

**ACGIH T** 

## LV:5 MG/M3

Ingred Name:1,3-DIPHENYLGUANIDINE

CAS:102-06-7

RTECS #:MF0875000 Minumum % Wt:1.

Maxumum % Wt:5.

Ingred Name: TERPHENYL, HYDROGENATED

CAS:61788-32-7

RTECS #:WZ6535000

Minumum % Wt:20.

Maxumum % Wt:30.

ACGIH TLV:4.9 MG/M3;0.5 PPM

Ingred Name: POLYOXYETHYLENE NONYL PHENYL PHOSPHATE

CAS:51811-79-1 Minumum % Wt:1. Maxumum % Wt:5.

Ingred Name:TERPHENYL

CAS:26140-60-3

RTECS #:WZ6450000

Minumum % Wt:1.

Maxumum % Wt:5.

OSHA PEL:C9 MG/M3;C1 PPM

ACGIH STEL:C5 MG/M3;C0.53 PPM

Ingred Name:SODI UM HYDROXIDE

CAS:1310-73-2

RTECS #:WB4900000

Minumum % Wt:1.

Maxumum % Wt:5.

OSHA PEL:2 MG/M3

ACGIH STEL:C2 MG/M3

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

============ Hazards Identification =========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE MODERATE

IRRITATION. SKIN CONTACT: MAY CAUSE SLIGHT TO MILD IRRITATION. MAY

CAUSE ALLERGIC SKIN REA

CTIONS AND SENSITIZATION. INHALATION

(BREATHING): IRRITATING TO THE EYES, NOSE AND RESPIRATORY TRACT. CAN CAUSE DIZZINESS, HEADACHES, AND INCOORDINATION. INGESTION (SWALLOWING): IRRITATING TO THE MOUTH, THROAT, AND STOMACH. MAY CAUSE NAUSEA, VOMITING, PAIN, AND STOMACH UPSET (E.G., DIARRHEA).

Effects of Overexposure:EMERGENCY OVERVIEW: MAY CAUSE ALLERGIC SKIN REACTION AND SENSITIZATION. INHALATION MAY CAUSE DIZZINESS, HEADACHE AND INCOORDINATION. MAY CAUSE MODERATE EYE IRRITATION. MAY

CAUSE RESPIRATORY TRACT IRRI TATION. MAY CAUSE DIGESTIVE TRACT IRRITATION. INGESTION MAY CAUSE NAUSEA, VOMITING, PAIN, UPSET STOMACH, DIARRHEA. MAY CAUSE SKIN IRRITATION.

Medical Cond Aggravated by Exposure:LIVER. KIDNEYS. LUNGS AND RESPIRATORY SYSTEM. SKIN. IMMUNE SYSTEMS AND/OR SPECIFIC CHEMICAL ALLERGIES.

First Aid:EYE CONTACT: IMMEDIATELY FLUSH EYE WITH PLENTY OF WATER FOR AT LEAST


15 MINUTES. GET MEDICAL ATTENTION. SKIN CONTACT:
IMMEDIATELY FLUSH WITH WATER. REMOVE CONTAMINATED CLOTHING AND
SHOES. GET MEDICAL ATTENTION.INHALATION (BREATHING): REMOVE TO
FRESH AIR. IF SYMPTOMS DEVELOP, SEEK IMMEDIATE MEDICAL ATTENTION.
INGESTION (SWALLOWING): SEEK MEDICAL ATTENTION. IMMEDIATELY INDUCE
VOMITING, AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY
MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point Method:SCC Flash Point:=93.3C, 200.F

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, HALON, WATER SPRAY, OR FOAM. LARGE FIRES: WATER SPRAY, FOG, OR ALCOHOL FOAM.

Fire Fighting Procedures:FIRE FIGHTERS AND OTHERS WHO MAY BE EXPOSED TO THE PRODUCTS OF COMBUSTION SHOULD BE EQUIPPED WITH NIOSH-APPROVED POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS (SCBA) AND FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: DURING A FIRE, IRRITATING AND HIGHLY TOXI



=========== Handling and Storage ===============

C GASES MAY BE GENERATED DURING COMBUSTION OR DECOMPOSITION.

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA AWAY FROM HEAT, IGNITION SOURCES, AND DIRECT SUNLIGHT. KEEP CONTAINERS TIGHTLY CLOSED. TRANSFER: NO SPECIAL PRECAUTIONS ARE NEEDED. FOLLOW GOOD MANUFACTURING A ND HANDLING PRACTICES.

Other Precautions:THIS CONTAINER CAN BE HAZARDOUS WHEN EMPTY. FOLLOW LABEL

WARNINGS EVEN AFTER CONTAINER IS EMPTIED SINCE EMPTY
CONTAINERS MAY RETAIN PRODUCT RESIDUES. DO NOT REUSE EMPTY
CONTAINER WITHOUT PROFESSIONAL CLEANING FOR FOOD, CLOTHING, OR
PRODUCTS FOR HUMAN OR ANIMAL CONSUMPTION OR WHERE SKIN CONTACT CAN
O CCUR.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:AVOID BREATHING VAPOR AND/OR MISTS. WEAR NIOSH/MSHA APPROVED EQUIPMENT. DETERMINE THE APPROPRIATE TYPE BY CONSULTING THE RESPIRATOR

MANUFACTURER. HIGH AIRBORNE

CONCENTRATIONS MAY NECESSITATE THE USE O F SELF CONTAINED BREATHING APPARATUS (SCBA) OR A SUPPLIED AIR RESPIRATOR.

Ventilation:LOCAL EXHAUST VENTILATION IS RECOMMENDED WHEN VAPORS, MISTS, OR DUSTS CAN BE RELEASED IN EXCESS OF ESTABLISHED AIRBORNE EXPOSURE LIMITS.

Protective Gloves:WEAR PROTECTIVE CLOTHING AND APPROPRIATE IMPERVIOUS GLOVES.

Eye Protection:WEAR CHEMICAL SPLASH GOGGLES. AN EYE WASH FACILITY SHOULD BE READILY AVAILABLE.

Work Hygien

ic Practices:WASH THOROUGHLY AFETR HANDLING, ESPECIALLY BEFORE EATING, DRINKING, SMOKING, AND USING RESTROOM FACILITIES. WASH CONTAMINATED GOGGLES FACE SHIELD, AND GLOVES.

Supplemental Safety and Health

========= Physical/Chemical Properties ==========

Vapor Pres:0.1 MM HG Vapor Density:>1 Spec Gravity:2.1 Evaporation Rate & Deference: